

|   | Ref # | Type | Hits    | Search Text   | DBs   |
|---|-------|------|---------|---|---|
| 1 | S44   | BRS  | 1       | (polymer with (iron metal ferrous) with core) and S43 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 2 | S23   | BRS  | 4157    | polymer with (iron metal ferrous) with core           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 3 | S43   | IS&R | 840     | (335/281).CCLS.                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 4 | S41   | BRS  | 10934   | S29 same S30 same S31 same S39                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 5 | S42   | BRS  | 19      | S41 and S33   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 6 | S32   | BRS  | 26808   | S29 same S30 same S31                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 7 | S37   | BRS  | 47      | S36 and brake   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 8 | S39   | BRS  | 9036810 | inch inches in  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 9 | S40   | BRS  | 643     | S36 and S39   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |

|    | Ref # | Type | Hits    | Search Text   | DBs   |
|----|-------|------|---------|---|---|
| 10 | S28   | BRS  | 17      | S24 with brake                                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 11 | S38   | BRS  | 2       | S35 and brake                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 12 | S35   | BRS  | 57      | S32 and S33   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 13 | S36   | BRS  | 660     | S32 and S34   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 14 | S33   | BRS  | 16232   | core same (former<br>bobbin) same (coil<br>winding) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 15 | S34   | BRS  | 211615  | core same (coil<br>winding)                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 16 | S30   | BRS  | 4810574 | thick\$4 wide width                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 17 | S31   | BRS  | 2965123 | rim edge  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 18 | S29   | BRS  | 1754145 | housing   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |

|    | Ref # | Type | Hits    | Search Text                      | DBs   |
|----|-------|------|---------|----------------------------------|---|
| 19 | S11   | BRS  | 41349   | S10 with brake                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 20 | S27   | BRS  | 5       | S23 with brake                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 21 | S24   | BRS  | 49226   | polymer with core                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 22 | S25   | BRS  | 3       | S23 and S11                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 23 | S26   | BRS  | 13      | S24 and S11                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 24 | S19   | BRS  | 59356   | (iron metal ferrous)<br>adj core | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 25 | S5    | BRS  | 2366722 | polymer impregnated              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 26 | S20   | BRS  | 914     | S19 with S5                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 27 | S21   | BRS  | 7261    | polymer near2<br>impregnated     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |

|    | Ref # | Type | Hits   | Search Text                 | DBs   |
|----|-------|------|--------|-----------------------------|---|
| 28 | S22   | BRS  | 4      | S19 with S21                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 29 | S6    | BRS  | 913    | S1 with S5                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 30 | S1    | BRS  | 58959  | (iron metal) adj core       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 31 | S16   | BRS  | 49     | S15 and S11                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 32 | S18   | BRS  | 55     | S17 and S11                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 33 | S3    | BRS  | 233395 | elasticity                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 34 | S12   | BRS  | 4      | S6 and S11                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 35 | S15   | BRS  | 28012  | yield near2 strength        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 36 | S17   | BRS  | 41273  | elasticity near2<br>modulus | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |

|    | Ref # | Type | Hits    | Search Text                        | DBs   |
|----|-------|------|---------|------------------------------------|---|
| 37 | S13   | BRS  | 88      | core same S7                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 38 | S8    | BRS  | 3       | S6 same S7                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 39 | S14   | BRS  | 5       | S13 and S10                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 40 | S10   | BRS  | 955637  | electromagnet<br>actuator solenoid | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 41 | S9    | BRS  | 7       | S6 same S3                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 42 | S7    | BRS  | 2888    | S3 with S4                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 43 | S2    | BRS  | 2193741 | polymer                            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 44 | S4    | BRS  | 33718   | Young's adj modulus                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |